ELSEVIER

Brain Research 785 (1998) 360–361

BRAIN RESEARCH

Author Index

Akama, K.T., see Hu, J. (785) 195
Akatsuka, A., see Kimura, M. (785) 245
Alfahel-Kakunda, A., see Masalha, R. (785) 359
Alloway, K.D., Mutic, J.J. and Hoover, J.E.
Divergent corticostriatal projections from a single cortical column in the somatosensory cortex of rats (785) 341
Ando, M., see Fujita, K. (785) 31
Armstrong, C.L. and Hopkins, D.A.
Neurochemical organization of paratrigeminal nucleus projections to the dorsal vagal complex in the rat (785) 49
Arsenijevic, Y. and Tribollet, E.
Region-specific effect of testosterone on oxytocin receptor binding in the brain of the aged rat (785) 167

Bairaktaris, D., see Paolini, A.G. (785) 309
Blinder, K.J., Gatti, P.J., Johnson, T.A., Lauenstein, J.-M., Coleman, W.P., Gray, A.L. and Massari, V.J.
Ultrastructural circuitry of cardiorespiratory reflexes: there is a monosynaptic path between the nucleus of the solitary tract and vagal preganglionic motoneurons controlling atrioventricular conduction in the cat (785) 143
Buerk, D.G., see Roy, A. (785) 228

Carlton, S.M., see Davidson, E.M. (785) 136
Chadwick, L.E., see Gabriel, E.M. (785) 279
Chan, P.H., see Hasegawa, K. (785) 262
Chiba, C.
Appearance of glutamate-like immunoreactivity during retinal regeneration in the adult newt (785) 171
Chromy, B.A., see Hu, J. (785) 195
Ciecierski, R.G., see Hale, E.A. (785) 158
Clark, G.M., see Paolini, A.G. (785) 309
Coleman, W.P., see Blinder, K.J. (785) 143
Cotterill, E.L., see Paolini, A.G. (785) 309

Davidson, E.M. and Carlton, S.M.
Intraplantar injection of dextrorphan, ketamine or memantine attenuates formalin-induced behaviors (785) 136
Denenberg, V.H., see Hyde, L.A. (785) 236
Ding, M., see Huang, Y.-L. (785) 351

Ehrenreich, H., see Hasselblatt, M. (785) 253
Espanol, M.T., see Hasegawa, K. (785) 262

Feng, Z.-Z., see Sick, T.J. (785) 287
Fibiger, H.C., see Taber, M.T. (785) 24
Fujita, K., Yamauchi, M., Matsui, T., Titani, K., Takahashi, H., Kato, T., Isomura, G., Ando, M. and Nagata, Y.
Increase of glial fibrillary acidic protein fragments in the spinal cord of motor neuron degeneration mutant mouse (785) 31

Gabriel, E.M., Inglefield, J.R., Chadwick, L.E. and Schwartz-Bloom, R.D.
Ischemic injury and extracellular amino acid accumulation in hippocampal area CA1 are not dependent upon an intact septo-hippocampal pathway (785) 279
Gatti, P.J., see Massari, V.J. (785) 329
Ghosh, P., see Hale, E.A. (785) 158
Golding, E.M., Robertson, C.S. and Bryan Jr., R.M.
Comparison of the myogenic response in rat cerebral arteries of different calibers (785) 293
Grøndahl, T.Ø. and Langmoen, I.A.
Confocal laser scanning microscopy used to monitor intracellular Ca^{2+} changes in hippocampal CA 1 neurons during energy deprivation (785) 58
Gundlah, C., Simon, L.D. and Auerbach, S.B.
Differences in hypothalamic serotonin between estrous phases and gender: an in vivo microdialysis study (785) 91

Hajnal, A., Pothos, E.N., Lénárd, L. and Hoebel, B.G.
Effects of feeding and insulin on extracellular acetylcholine in the amygdala of freely moving rats (785) 41
Hale, E.A., Raza, S.K., Ciecierski, R.G. and Ghosh, P.
Deleterious actions of chronic ethanol treatment on the glycosylation of rat brain clusterin (785) 158
Hamba, M.
Stimulation-induced responses of the trigeminal caudal neurons in the brainstem preparation isolated from newborn rats (785) 66
Hanamori, T., Kunitake, T., Kato, K. and Kannan, H.
Neurons in the posterior insular cortex are responsive to gustatory stimulation of the pharyngolarynx, baroreceptor and chemoreceptor stimulation, and tail pinch in rats (785) 97
Hasegawa, K., Litt, L., Espanol, M.T., Sharp, F.R. and Chan, P.H.
Expression of c-*fos* and hsp70 mRNA in neonatal rat cerebrocortical slices during NMDA-induced necrosis and apoptosis (785) 262
Hasselblatt, M., Kamrowski-Kruck, H., Jensen, N., Schilling, L., Kratzin, H., Sirén, A.-L. and Ehrenreich, H.
ET_A and ET_B receptor antagonists synergistically increase extracellular endothelin-1 levels in primary rat astrocyte cultures (785) 253
Hellmann, B., see Theiss, C. (785) 114
Herishanu, Y., see Masalha, R. (785) 359
Hiraba, H., see Kamogawa, H. (785) 18
Hoebel, B.G., see Hajnal, A. (785) 41
Hoover, J.E., see Alloway, K.D. (785) 341
Hopkins, D.A., see Armstrong, C.L. (785) 49
Hoplight, B.J., see Hyde, L.A. (785) 236
Hu, J., Akama, K.T., Krafft, G.A., Chromy, B.A. and Van Eldik, L.J.
Amyloid-β peptide activates cultured astrocytes: morphological alterations, cytokine induction and nitric oxide release (785) 195
Huang, Y.-L., Ding, M. and Hansson, H.-A.
Dorsal root ganglion nerve cells transiently express increased immunoreactivity of the calcium-binding protein S-100β after sciatic nerve transection (785) 351
Hyde, L.A., Hoplight, B.J. and Denenberg, V.H.
Water version of the radial-arm maze: Learning in three inbred strains of mice (785) 236

Inage, T., see Kamogawa, H. (785) 18
Inglefield, J.R., see Gabriel, E.M. (785) 279
Isaac, E., see Schoofs, L. (785) 215
Isomura, G., see Fujita, K. (785) 31

Jensen, N., see Hasselblatt, M. (785) 253
Jiang, N., see Zhang, R. (785) 207
Johnson, T.A., see Blinder, K.J. (785) 143
Johnson, T.A., see Massari, V.J. (785) 329
Jones, K., see Xie, G.-X. (785) 129

Kadekaro, M., see Liu, H. (785) 317
Kamogawa, H., Hiraba, H., Manabe, K., Sakanashi, T., Sekiguchi, T. and Inage, T.
Morphological analysis of cat masseteric motoneurons after intracellular staining with horseradish peroxidase (785) 18
Kannan, H., see Hanamori, T. (785) 97
Kato, K., see Hanamori, T. (785) 97
Kato, T., see Fujita, K. (785) 31
Katsuki, M., see Kimura, M. (785) 245

ELSEVIER

Brain Research 785 (1998) 360–361

BRAIN RESEARCH

Author Index

Akama, K.T., see Hu, J. (785) 195
Akatsuka, A., see Kimura, M. (785) 245
Alfahel-Kakunda, A., see Masalha, R. (785) 359
Alloway, K.D., Mutic, J.J. and Hoover, J.E.
Divergent corticostriatal projections from a single cortical column in the somatosensory cortex of rats (785) 341
Ando, M., see Fujita, K. (785) 31
Armstrong, C.L. and Hopkins, D.A.
Neurochemical organization of paratrigeminal nucleus projections to the dorsal vagal complex in the rat (785) 49
Arsenijevic, Y. and Tribollet, E.
Region-specific effect of testosterone on oxytocin receptor binding in the brain of the aged rat (785) 167

Bairaktaris, D., see Paolini, A.G. (785) 309
Blinder, K.J., Gatti, P.J., Johnson, T.A., Lauenstein, J.-M., Coleman, W.P., Gray, A.L. and Massari, V.J.
Ultrastructural circuitry of cardiorespiratory reflexes: there is a monosynaptic path between the nucleus of the solitary tract and vagal preganglionic motoneurons controlling atrioventricular conduction in the cat (785) 143
Buerk, D.G., see Roy, A. (785) 228

Carlton, S.M., see Davidson, E.M. (785) 136
Chadwick, L.E., see Gabriel, E.M. (785) 279
Chan, P.H., see Hasegawa, K. (785) 262
Chiba, C.
Appearance of glutamate-like immunoreactivity during retinal regeneration in the adult newt (785) 171
Chromy, B.A., see Hu, J. (785) 195
Ciecierski, R.G., see Hale, E.A. (785) 158
Clark, G.M., see Paolini, A.G. (785) 309
Coleman, W.P., see Blinder, K.J. (785) 143
Cotterill, E.L., see Paolini, A.G. (785) 309

Davidson, E.M. and Carlton, S.M.
Intraplantar injection of dextrorphan, ketamine or memantine attenuates formalin-induced behaviors (785) 136
Denenberg, V.H., see Hyde, L.A. (785) 236
Ding, M., see Huang, Y.-L. (785) 351

Ehrenreich, H., see Hasselblatt, M. (785) 253
Espanol, M.T., see Hasegawa, K. (785) 262

Feng, Z.-Z., see Sick, T.J. (785) 287
Fibiger, H.C., see Taber, M.T. (785) 24
Fujita, K., Yamauchi, M., Matsui, T., Titani, K., Takahashi, H., Kato, T., Isomura, G., Ando, M. and Nagata, Y.
Increase of glial fibrillary acidic protein fragments in the spinal cord of motor neuron degeneration mutant mouse (785) 31

Gabriel, E.M., Inglefield, J.R., Chadwick, L.E. and Schwartz-Bloom, R.D.
Ischemic injury and extracellular amino acid accumulation in hippocampal area CA1 are not dependent upon an intact septo-hippocampal pathway (785) 279
Gatti, P.J., see Massari, V.J. (785) 329
Ghosh, P., see Hale, E.A. (785) 158
Golding, E.M., Robertson, C.S. and Bryan Jr., R.M.
Comparison of the myogenic response in rat cerebral arteries of different calibers (785) 293
Grøndahl, T.Ø. and Langmoen, I.A.
Confocal laser scanning microscopy used to monitor intracellular Ca^{2+} changes in hippocampal CA 1 neurons during energy deprivation (785) 58
Gundlah, C., Simon, L.D. and Auerbach, S.B.
Differences in hypothalamic serotonin between estrous phases and gender: an in vivo microdialysis study (785) 91

Hajnal, A., Pothos, E.N., Lénárd, L. and Hoebel, B.G.
Effects of feeding and insulin on extracellular acetylcholine in the amygdala of freely moving rats (785) 41
Hale, E.A., Raza, S.K., Ciecierski, R.G. and Ghosh, P.
Deleterious actions of chronic ethanol treatment on the glycosylation of rat brain clusterin (785) 158
Hamba, M.
Stimulation-induced responses of the trigeminal caudal neurons in the brainstem preparation isolated from newborn rats (785) 66
Hanamori, T., Kunitake, T., Kato, K. and Kannan, H.
Neurons in the posterior insular cortex are responsive to gustatory stimulation of the pharyngolarynx, baroreceptor and chemoreceptor stimulation, and tail pinch in rats (785) 97
Hasegawa, K., Litt, L., Espanol, M.T., Sharp, F.R. and Chan, P.H.
Expression of c-*fos* and hsp70 mRNA in neonatal rat cerebrocortical slices during NMDA-induced necrosis and apoptosis (785) 262
Hasselblatt, M., Kamrowski-Kruck, H., Jensen, N., Schilling, L., Kratzin, H., Sirén, A.-L. and Ehrenreich, H.
ET_A and ET_B receptor antagonists synergistically increase extracellular endothelin-1 levels in primary rat astrocyte cultures (785) 253
Hellmann, B., see Theiss, C. (785) 114
Herishanu, Y., see Masalha, R. (785) 359
Hiraba, H., see Kamogawa, H. (785) 18
Hoebel, B.G., see Hajnal, A. (785) 41
Hoover, J.E., see Alloway, K.D. (785) 341
Hopkins, D.A., see Armstrong, C.L. (785) 49
Hoplight, B.J., see Hyde, L.A. (785) 236
Hu, J., Akama, K.T., Krafft, G.A., Chromy, B.A. and Van Eldik, L.J.
Amyloid-β peptide activates cultured astrocytes: morphological alterations, cytokine induction and nitric oxide release (785) 195
Huang, Y.-L., Ding, M. and Hansson, H.-A.
Dorsal root ganglion nerve cells transiently express increased immunoreactivity of the calcium-binding protein S-100β after sciatic nerve transection (785) 351
Hyde, L.A., Hoplight, B.J. and Denenberg, V.H.
Water version of the radial-arm maze: Learning in three inbred strains of mice (785) 236

Inage, T., see Kamogawa, H. (785) 18
Inglefield, J.R., see Gabriel, E.M. (785) 279
Isaac, E., see Schoofs, L. (785) 215
Isomura, G., see Fujita, K. (785) 31

Jensen, N., see Hasselblatt, M. (785) 253
Jiang, N., see Zhang, R. (785) 207
Johnson, T.A., see Blinder, K.J. (785) 143
Johnson, T.A., see Massari, V.J. (785) 329
Jones, K., see Xie, G.-X. (785) 129

Kadekaro, M., see Liu, H. (785) 317
Kamogawa, H., Hiraba, H., Manabe, K., Sakanashi, T., Sekiguchi, T. and Inage, T.
Morphological analysis of cat masseteric motoneurons after intracellular staining with horseradish peroxidase (785) 18
Kannan, H., see Hanamori, T. (785) 97
Kato, K., see Hanamori, T. (785) 97
Kato, T., see Fujita, K. (785) 31
Katsuki, M., see Kimura, M. (785) 245

Katusic, Z.S., see Onoue, H. (785) 107
Khan, A.M., see Miyata, S. (785) 178
Kimura, M., Sato, M., Akatsuka, A., Saito, S., Ando, K., Yokoyama, M. and Katsuki, M.
Overexpression of a minor component of myelin basic protein isoform (17.2 kDa) can restore myelinogenesis in transgenic *shiverer* mice (785) 245
Kitajima, S., see Sano, M. (785) 299
Kitamura, S.-i., see Nagao, S. (785) 75
Kitayama, I., see Yamashita, K. (785) 10
Knight, D.S., see Yarnell, D.O. (785) 80
Krafft, G.A., see Hu, J. (785) 195
Kratzin, H., see Hasselblatt, M. (785) 253
Kunitake, T., see Hanamori, T. (785) 97

Łabuz, D., see Lasoń, W. (785) 355
Lahiri, S., see Roy, A. (785) 228
Langmoen, I.A., see Grøndahl, T.Ø. (785) 58
Lasoń, W., Turchan, J., Przewłocka, B., Łabuz, D., Machelska, H. and Przewłocki, R.
Effects of pentylenetetrazol kindling on glutamate receptor genes expression in the rat hippocampus (785) 355
Lauenstein, J.-M., see Massari, V.J. (785) 329
Lénárd, L., see Hajnal, A. (785) 41
Litt, L., see Hasegawa, K. (785) 262
Liu, H., Terrell, M.L., Summy-Long, J.Y. and Kadekaro, M.
Brain ANG II and prostaglandins mediate the pressor response after central blockade of nitric oxide synthase (785) 317

Manabe, K., see Kamogawa, H. (785) 18
Masalha, R., Herishanu, Y., Alfahel-Kakunda, A. and Silverman, W.F.
Selective dopamine neurotoxicity by an industrial chemical: an environmental cause of Parkinson's disease?. [Brain Research 774 (1997) 260-264] (785) 359
Massari, V.J., Shirahata, M., Johnson, T.A., Lauenstein, J.-M. and Gatti, P.J.
Substance P immunoreactive nerve terminals in the dorsolateral nucleus of the tractus solitarius: roles in the baroreceptor reflex (785) 329
Matsui, T., see Fujita, K. (785) 31
Miyata, S., Khan, A.M. and Hatton, G.I.
Colocalization of calretinin and calbindin-D_{28k} with oxytocin and vasopressin in rat supraoptic nucleus neurons: A quantitative study (785) 178
Mutic, J.J., see Alloway, K.D. (785) 341

Nadelhaft, I., see Nuding, S.C. (785) 185
Nagao, S., Seto, S., Kitamura, S.-i., Akahoshi, M., Kiriyama, T. and Yano, K.
Central pressor effect of parathyroid hormone-related protein in conscious rats (785) 75
Nomura, J., see Yamashita, K. (785) 10
Nuding, S.C. and Nadelhaft, I.
Bilateral projections of the pontine micturition center to the sacral parasympathetic nucleus in the rat (785) 185

Obradovic, T., Imel, K.M. and White, S.R.
Repeated exposure to methylenedioxymethamphetamine (MDMA) alters nucleus accumbens neuronal responses to dopamine and serotonin (785) 1
Onoue, H. and Katusic, Z.S.
The effect of 1H-[1,2,4]oxadiazolo[4,3-*a*]quinoxalin-1-one (ODQ) and charybdotoxin (CTX) on relaxations of isolated cerebral arteries to nitric oxide (785) 107

Paolini, A.G., Cotterill, E.L., Bairaktaris, D. and Clark, G.M.
Muscimol suppression of the dorsal cochlear nucleus modifies frequency tuning in rats (785) 309
Peroutka, S.J., see Xie, G.-X. (785) 129
Pothos, E.N., see Hajnal, A. (785) 41
Powers, C., see Zhang, R. (785) 207
Przewłocka, B., see Lasoń, W. (785) 355
Przewłocki, R., see Lasoń, W. (785) 355

Raza, S.K., see Hale, E.A. (785) 158
Robertson, C.S., see Golding, E.M. (785) 293
Roy, A., Rozanov, C., Buerk, D.G., Mokashi, A. and Lahiri, S.
Suppression of glomus cell K^+ conductance by 4-aminopyridine is not related to $[Ca^{2+}]_i$, dopamine release and chemosensory discharge from carotid body (785) 228

Saito, S., see Kimura, M. (785) 245
Sakanashi, T., see Kamogawa, H. (785) 18
Sano, M. and Kitajima, S.
Activation of mitogen-activated protein kinases is not required for the extension of neurites from PC12D Cells triggered by nerve growth factor (785) 299
Schilling, L., see Hasselblatt, M. (785) 253
Schoofs, L., Veelaert, D., De Loof, A., Huybrechts, R. and Isaac, E.
Immunocytochemical distribution of angiotensin I-converting enzyme-like immunoreactivity in the brain and testis of insects (785) 215
Sekiguchi, T., see Kamogawa, H. (785) 18
Seto, S., see Nagao, S. (785) 75
Sharp, F.R., see Hasegawa, K. (785) 262
Shirahata, M., see Massari, V.J. (785) 329
Sick, T.J., Pérez-Pinzón, M.A. and Feng, Z.-Z.
Impaired expression of long-term potentiation in hippocampal slices 4 and 48 h following mild fluid-percussion brain injury in vivo (785) 287
Simon, L.D., see Gundlah, C. (785) 91
Sirén, A.-L., see Hasselblatt, M. (785) 253
Struthers, W.M. and Wirtshafter, D.
Quinpirole attenuates the striatal Fos expression induced by escape behavior (785) 347

Taber, M.T., Zernig, G. and Fibiger, H.C.
Opioid receptor modulation of feeding-evoked dopamine release in the rat nucleus accumbens (785) 24
Terrell, M.L., see Liu, H. (785) 317
Theiss, C., Hellmann, B. and Güntürkün, O.
The differential distribution of AMPA-receptor subunits in the tectofugal system of the pigeon (785) 114
Tribollet, E., see Arsenijevic, Y. (785) 167
Tso, P., see Yarnell, D.O. (785) 80
Tulp, O., see Yarnell, D.O. (785) 80
Turchan, J., see Lasoń, W. (785) 355

Van Eldik, L.J., see Hu, J. (785) 195
Veelaert, D., see Schoofs, L. (785) 215

White, S.R., see Obradovic, T. (785) 1
Wirtshafter, D., see Struthers, W.M. (785) 347

Xie, G.-X., Jones, K., Peroutka, S.J. and Palmer, P.P.
Detection of mRNAs and alternatively spliced transcripts of dopamine receptors in rat peripheral sensory and sympathetic ganglia (785) 129

Yamashita, K., Kitayama, I., Hamanaka, K. and Nomura, J.
Effect of reserpine on 3-methoxy-4-hydroxyphenylethyleneglycol and 3,4-dihydroxyphenylacetic acid in the hippocampus of depression-model rats: An in vivo microdialysis study (785) 10
Yano, K., see Nagao, S. (785) 75
Yarnell, D.O., Knight, D.S., Hamilton, K., Tulp, O. and Tso, P.
Localization of leptin receptor immunoreactivity in the lean and obese Zucker rat brain (785) 80

Zernig, G., see Taber, M.T. (785) 24
Zhang, R., Chopp, M., Zhang, Z., Jiang, N. and Powers, C.
The expression of P- and E-selectins in three models of middle cerebral artery occlusion (785) 207